SEQUENCE LISTING

- <110> CUTTITTA, FRANK
 MARTINEZ, ALFREDO
 MILLER, MAE JEAN
 UNSWORTH, EDWARD J.
 HOOK, WILLIAM
 WALSH, THOMAS
 GREY, KAREN
 MACRI, CHARLES
- <120> Functional Role of Adrenomedullin (AM) and the Gene-Related Product (PAMP) in Human Pathology and Physiology
- <130> 2026-4202US4
- <140> 2026-4202US4
- <141> 2001-08-15

Ü

0

W

C)

O

Ü

ļ, ah

- <150> 09/011,922
- <151> 1998-02-17
- <150> PCT/US96/13286
- <151> 1996-08-16
- <150> US/60/013,172
- <151> 1996-03-12
- <150> US60/002,936
- <151> 1995-08-30
- <150> US/60/002,514
- <151> 1995-08-18
- <160> 17
- <170> PatentIn Ver. 2.1
- <210> 1
- <211> 10
- <212> PRT
- <213> Artificial Sequence
- <220>

```
<400> 1
    Tyr Tyr Trp Asn Lys Trp Ala Leu Ser Arg
     <210> 2
     <211> 13
     <212> PRT
     <213> Artificial Sequence
     <220>
     <223> Description of Artificial Sequence: Peptide,
           P071, YGG-PreproAM (amino acids 122-131)
     <400> 2
    Tyr Gly Gly His Gln Ile Tyr Gln Phe Thr Asp Lys Asp
<210> 3
<211> 31
Ųij
hab
    <212> PRT
44
    <213> Artificial Sequence
<220>
#
     <223> Description of Artificial Sequence: Peptide, P072,
PreproAM (amino acids 116-146)
L)
123
     <400> 3
M
    Thr Val Gln Lys Leu Ala His Gln Ile Tyr Gln Phe Thr Asp Lys Asp
10
Lak.
    Lys Asp Asn Val Ala Pro Arg Ser Lys Ile Ser Pro Gln Gly Tyr
                  20
                                      25
                                                           30
     <210> 4
     <211> 21
     <212> DNA
     <213> Artificial Sequence
     <220>
     <223> Description of Artificial Sequence: Nucleic Acid,
           sense primer, AM, (nucleotides 94-114)
     <400> 4
    aagaagtgga ataagtgggc t
```

21

```
<210> 5
    <211> 21
    <212> DNA
    <213> Artificial Sequence
    <220>
    <223> Description of Artificial Sequence: Nucleic Acid,
          antisense primer, AM, (nucleotide 444-464)
    <400> 5
    tggcttagaa gacaccagag t
                                                                        21
    <210> 6
    <211> 21
    <212> DNA
    <213> Artificial Sequence
<220>
    <223> Description of Artificial Sequence: Nucleic Acid,
          antisense probe, AM, (nucleotides 289-309)
44
4
    <400> 6
144
    ctggaagttg ttcatgctct g
                                                                        21
[2]
C)
    <210> 7
ļ.
    <211> 20
<212> PRT
    <213> Artificial Sequence
    <220>
    <223> Description of Artificial Sequence: Peptide ,
          PAMP-20, Proadrenomedullin N-terminal 20 amino
          acids
    <400> 7
    Ala Arg Leu Asp Val Ala Ser Glu Phe Arg Lys Lys Trp Asn Lys Trp
      1
                       5
                                          10
                                                               15
    Ala Leu Ser Arg
                  20
    <210> 8
    <211> 21
    <212> DNA
```

<220>		
<223>	Description of Artificial Sequence: Nucleic Acid,	
	sense primer, AM, (nucleotides 250-270)	
<400>	8	
aagaaq	gtgga ataagtgggc t	21
<210>	9	
<211>	21	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
	Description of Artificial Sequence: Nucleic Acid,	
<400> tggctf <210> <211> <212> <213>	antisense primer, AM, (nucleotides 640-660)	
<400>	9	
tggct	tagaa gacaccagag t	21
<210>	10	
<211>	21	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
	Description of Artificial Sequence: Nucleic Acid,	
	Nested Antisense probe, AM, (nucleotides	
	541-561)	
<400>	10	
gacgt	tgtcc ttgtccttat c	21
<210>		
<211>		
<212>		
<213>	Artificial Sequence	
<220>		
<223>	Description of Artificial Sequence: Nucleic Acid,	
	AM-R amplification sense primer (nucleotides 476-497)	
<400>	11	

<213> Artificial Sequence

	agcgccacca gcaccgaata cg	22
	<210> 12	
	<211> 24	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<pre><223> Description of Artificial Sequence: Nucleic Acid, AM-R amplification antisense primer (nucleotides 923-946)</pre>	
	<400> 12	
	agaggatggg gttggcgaca cagt	24
	<210> 13	
	<211> 24	
10	<212> DNA	
The form of the first that	<213> Artificial Sequence	
 	<220>	
	<pre><223> Description of Artificial Sequence: Nucleic Acid, AM-R antisense probe (nucleotides 788-811)</pre>	
n n	ANTA ancisense probe (nacicociaes 700 011)	
C)	<400> 13	
11	ggtagggcag ccagcagatg acaa	24
[]	<210> 14	
#===	<211> 31	
	<212> PRT	
	<213> Artificial Sequence	
	<220>	
	<223> Description of Artificial Sequence: Peptide,	
	Synthetic homolog of AM (P072), Structural amino	
	acid sequence representing two-thirds of the	
	intact AM peptide	
	<400> 14	
	Thr Val Gln Lys Leu Ala His Gln Ile Tyr Gln Phe Thr Asp Lys As	sp
	1 5 10 15	
	Lys Asp Asn Val Ala Pro Arg Ser Lys Ile Ser Pro Gln Gly Tyr	
	20 25 30	

\Z1U>	15	
<211>	21	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Description of Artificial Sequence: Nucleic Acid, Sense primer, AM, (nucleotides 250-270); Recognizes the most conserved regions of the AM gene	
<400>	15	
aagaaq	gtgga ataagtgggc t	21
<210>	16	
<211>	20	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Description of Artificial Sequence: Nucleic Acid,	
	Antisense primer, AM, (nucleotides 523-542);	
	Recognizes the most conserved regions of the AM	
	gene	
<400>	16	
tgtga	actgg tagatctggt	20
<210>	17	
<211>	21	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Description of Artificial Sequence: Nucleic acid	
	probe, AM, (nucleotides 430-450); Detects the AM gene via Southern Blot	
<400>	17	
tctgg	cggta gcgcttgact c	21